





INDEX

MARBLE	HARLOW	01
Collection	DUBLIN	03
	LEEDS	05
	FEEL	07
STONE	TOUCH STONE	09
Collection	LEVANTE STONE	11
	SEASTONE	13
	TIGER	15
CONCRETE	BLOK	17
CONCRETE ———————————————————————————————————	EASY	19
Carrocara	SOUL	21
TERRAZZO	HABITAT	23
Collection	AMALFI	25
	PIGMENTO	27
COLOR ———————————————————————————————————	PIGMENTO SMART	29
Collection	MALDIVES	31
	MAGNETIC	33
	TIAGRETIC	00
WOOD	ECOWOOD	35
WOOD ———————————————————————————————————	TIMEWOOD	37



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X	⊘ x 	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Matt + Rec)	30x60 12"x24"	8.4mm	8	1.44	32	46.08	876 kg	-/+3
Glazed Porcelain (Polished + Rec)	30x60 12"x24"	8.4mm	8	1.44	32	46.08	849.44 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Harlow







White 30x60 12"x24"



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	☼ x	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Matt + Rec)	30x60 12"x24"	8.4mm	8	1.44	32	46.08	876 kg	-/+3
Glazed Porcelain (Polished + Rec)	30x60 12"x24"	8.4mm	8	1.44	32	46.08	849.44 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Dublin







White 30x60 12"x24"



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕		M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Matt + Rec)	30x60 12"x24"	8.4mm	8	1.44	32	46.08	876 kg	-/+3
Glazed Porcelain (Polished + Rec)	30x60 12"x24"	8.4mm	8	1.44	32	46.08	849.44 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Leeds







White 30x60 12"x24"



SKID Wgt Deviation (%) Sizes (cm/in) Thickness (mm) kg X ☼ x M² X ∭ M² X Pieces X Product Glazed Porcelain (Rectified) 60x120 24"x48" 2 48.96 912.2 kg -/+3 8.2mm 1.44 34

Feel

SIZES









60x120 24"x48"



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X	⊘ x 	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain	30x60 12"x24"	8.4mm	8	1.44	32	46.08	876 kg	-/+3
Glazed Porcelain	60x60 24"x24"	8.2mm	4	1.44	32	46.08	841 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Touch Stone

SIZES









R11 30x60 12"x24" R9 & R11 60x60 24"x24"

R9 & R11 Rectified

60x120 24"x48"



White 60x120 24"x48"



Sand 60x120 24"x48"



Grey 60x120 24"x48"



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	☼ x	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain	30x60 12"x24"	8.4mm	8	1.44	32	46.08	876 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+ 3

Levante Stone






Bone 30x60 12"x24"



Taupe 30x60 12"x24"



Grey 30x60 12"x24"



Anthracite 30x60 12"x24"




Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	☼ x	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x60 24"x24"	8.2mm	4	1.44	32	46.08	863.4 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Seastone

SIZES______

















Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	⊕ x 🕮	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Tiger

SIZES

















Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X		M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x60 24"x24"	8.2mm	4	1.44	32	46.08	863.4 kg	-/+ 3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+ 3
Glazed Porcelain (Rectified)	80x80 32"x32"	10 mm	2	1.28	42	53.76	1234.6 kg	-/+ 3
Glazed Porcelain (Rectified)	100x100 40"x40"	11.5 mm	2	2	24	48	1309.2 kg	-/+ 3

Blok

SIZES				~ [□]紫
60x60 24"x24"	60x120 24"x48"	80x80 32"x32"	100x100 40"x40"	
Grey		60x120 24"x48"	FACES	
		24"x48"		
Black		60x120 24"x48"	FACES	



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X		M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain	30x60 12"x24"	8.4mm	8	1.44	32	46.08	876 kg	-/+3
Glazed Porcelain (Rectified)	60x60 24"x24"	8.2mm	4	1.44	32	46.08	863.4 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+ 3
Glazed Porcelain (Rectified)	80x80 32"x32"	10 mm	2	1.28	42	53.76	1234.6 kg	-/+3

Easy

SIZES	1	11,		W
		_	لكن	称

















Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	⊕ x 🕮	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3


Soul

SIZES______















Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ∜	⊗ x 🕮	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x60 24"x24"	8.2mm	4	1.44	32	46.08	863.4 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3
Glazed Porcelain (Rectified)	80x80 32"x32"	10 mm	2	1.28	42	53.76	1234.6 kg	-/+3

Habitat

SIZES_______







Bianco 60x120 24"x48"



Grey
60x120
24"x48"



Cotto 60x120 24"x48"




Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	⊗ x 🕮	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x60 24"x24"	8.2mm	4	1.44	32	46.08	863.4 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3
Glazed Porcelain (Rectified)	80x80 32"x32"	10 mm	2	1.28	42	53.76	1234.6 kg	-/+ 3


Amalfi


SIZES












Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ❤️	⊕ x 🗐	M² X	kg X	SKID Wgt Deviation (%)
Wall Tile	10x30 4"x12"	7.6mm	34	0.98	80	78.4	1039 kg	-/+3

Pigmento

SIZES______

M

10x30 4"x12"





Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ❤️	⊕ x 🖺	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3

Smart

SIZES









Grey 60x120 24"x48"





SKID Wgt Deviation (%) kg X Sizes (cm/in) Thickness (mm) Ŷ x ∰ M² X ∭ Pieces X M² X ⊕ Product 30x60 12"x24" 8 32 46.08 -/+3 Glazed Porcelain 8.4mm 1.44 863 kg

Maldives

SIZES______







Turquoise 30x60 12"x24"



Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	☼ x	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	60x60 24"x24"	8.2mm	4	1.44	32	46.08	863.4 kg	-/+3
Glazed Porcelain (Rectified)	60x120 24"x48"	8.2mm	2	1.44	34	48.96	912.2 kg	-/+3


Magnetic

⇒ sugar effect

SIZES_______











SKID Wgt Deviation (%) Sizes (cm/in) Thickness (mm) ↑ x M² X ∭ kg X M² X ∜ Product Pieces X 20x120 8"x48" Glazed Porcelain (Rectified) 57 1055 kg 8 0.95 60 -/+3 8.2mm

Ecowood

SIZES.








20x120 8"x48"











Product	Sizes (cm/in)	Thickness (mm)	Pieces X	M² X ⊕	♡ x 🖺	M² X	kg X	SKID Wgt Deviation (%)
Glazed Porcelain (Rectified)	20x120 8"x48"	8.2mm	4	0.95	60	57	1055 kg	-/+3
Glazed Porcelain (Rectified)	30x120 12"x48"	8.2mm	4	1.43	40	57.2	1059 kg	-/+3

Timewood

> 20x120 8"x48" 30x120 12"x48"

⇒ sugar effect



Maple



Honey



Moka

SYMBOLS













Polished



Antislip



Relief



Sugar finish tiles come with *grainy finish* that is applied through a unique manufacturing process.

Tiles with different slip resistance ratings are suited to specific areas:

- R9 Slip Resistance: Suitable for dry indoor spaces (e.g., living rooms, bedrooms). Not ideal for wet areas like bathrooms unless a bath mat is used.
- R10 Slip Resistance: Provides more grip, suitable for areas prone to splashes (e.g., kitchens, cloakrooms). Still requires a bath mat in bathrooms with excessive water.
- R11 R12 Slip Resistance: Suitable for both indoor and outdoor use, especially in wet areas like bathrooms and wet rooms. Porcelain is recommended for outdoor durability.

P.E.I

- **P.E.I.** 1 These tiles are suitable only for locations where softer footwear is worn or where shoes are not frequently used (i.e. residential bathroom or other areas with light traffic). PEI 1 rated tiles can also be used for interior commercial and residential walls.
- **P.E.I.** ② These tiles are suited for areas subjected to general residential traffic areas that are walked on by soft soled or 'normal' footwear with very small amounts of scratching dirt. Tiles classified as PEI 2 are not suitable for kitchens, entrance halls, stairs and other areas subjected to heavy traffic.
- **P.E.I.** ③ Tiles that are classified as PEI 3 are suited for all residential and light commercial areas such as offices, reception areas, boutiques, interior walls, countertops and residential bathroom floors. They are not however recommended for use in lobbies or entryways in commercial properties.
- **P.E.I.** (4) Tiles with a PEI rating of 4 are suited for installations that are subjected to regular levels of foot traffic. Recommended for medium commercial and light institutional use, such as restaurants, hotels, hospital lobbies and corridors.
- **P.E.I.** These tiles are suitable for areas required to endure heavy foot traffic, abrasive dirt and moisture, and where safety and maximum performance are required. Tiles with this PEI rating are often found in shopping centres, public buildings, leisure centres, airports, and swimming pools.



www.yurtbayseramik.com

f 🛩 🞯 🕫 🛅 🕡 / yurtbayseramik